
SEALEY

Premier INDUSTRIAL™

Premier Industrial Workstations

- A range of industrial quality cabinets, workbenches and accessories manufactured from heavy gauge steel which is powder coated for rust and solvent protection.
- Cabinet drawers run on heavy-duty ball-bearing drawer slides with load bearing of up to 100kg and are fitted with safety locking catches* to prevent inadvertent opening.
- Workbenches each have an evenly distributed load capacity of 1000kg.
- Optional workbench, single or double drawer units, back panel, shelf and unique vice holder available (see page 1037).
- All finished in industrial blue/grey paint finish that would look stylish in any workshop, garage or manufacturing plant.

*Excludes some models.



10 YEAR GUARANTEE*

On all Premier Industrial™ Storage Units.

A-C SEE RIGHT & BELOW

Industrial Drawer Cabinets

Industrial quality cabinets each offering a unique drawer configuration. All drawers run on heavy-duty ball-bearing drawer slides with a load capacity of up to 100kg and are fitted with a safety locking catch to prevent inadvertent opening. Each drawer is fitted with fixed dividers running back to front and then supplied with cross dividers for personalised storage layout. These three models are the perfect height to fit underneath the workbenches in this range (see page 1037). Each cabinet is fitted with high quality lock and two coded keys.

A



A API5655A

5 Drawer Industrial Cabinet

Specification:	Width:	Depth:	Height:
Overall Size:	565mm	580mm	700mm
Small Drawer (x2):	470mm	375mm	55mm
Large Drawer (x3):	470mm	375mm	130mm

B



B API5655B

5 Drawer Industrial Cabinet

Specification:	Width:	Depth:	Height:
Overall Size:	565mm	580mm	700mm
Small Drawer (x2):	470mm	375mm	55mm
Medium Drawer (x1):	470mm	375mm	80mm
Large Drawer (x1):	470mm	375mm	130mm
X-Large Drawer (x1):	470mm	375mm	180mm

C



C API5656

6 Drawer Industrial Cabinet

Specification:	Width:	Depth:	Height:
Overall Size:	565mm	580mm	700mm
Small Drawer (x2):	470mm	375mm	55mm
Medium Drawer (x3):	470mm	375mm	80mm
Large Drawer (x1):	470mm	375mm	130mm

D-E



D API725KIT

Industrial Handle & Wheel Kit for API7238

Suitable for Model No. API7238 Industrial Cabinet in the API range (see page 1034).

E API565KIT


Industrial Handle & Wheel Kit for 565mm Cabinets

Suitable for 565mm industrial cabinets in the API range.



Optional wheel and handle kits are available for all three cabinets on this page as well as Model No's API5658 and API17238 on page 1034.
Note: With wheel kit fitted these units will not sit under the workbench as shown above.

A-C SEE RIGHT
Mobile Industrial Cabinets
Industrial quality cabinets each offering a unique drawer configuration. Drawers (where fitted) run on heavy-duty ball-bearing drawer slides. Each drawer is fitted with fixed dividers running back to front and then supplied with cross dividers for personalised storage layout. These three models fit perfectly underneath workbenches in this range (see page 1037). Units fitted with four Ø60mm wheels, two locking castors and two fixed, to allow units to be taken to the work area. Each cabinet is fitted with high quality lock and two coded keys. Model No. API5659 features a single shelf.





E API10
Vice Mounting Plate for API Series Workbenches
Mounts onto any of the three workbenches in this range and allows vice to be stored out of the way when not in use, leaving a full free work surface. Compatible with Model No's API1500, API1800 and API2100 (see page 1037).





A API5657A
5 Drawer Mobile Industrial Cabinet

Specification:	Width:	Depth:	Height:
Overall Size:	565mm	580mm	675mm
Small Drawer (x1):	470mm	375mm	60mm
Medium Drawer (x4):	470mm	375mm	85mm



B API5657B
5 Drawer Mobile Industrial Cabinet

Specification:	Width:	Depth:	Height:
Overall Size:	565mm	580mm	675mm
Small Drawer (x3):	470mm	375mm	60mm
Medium Drawer (x1):	470mm	375mm	85mm
Large Drawer (x1):	470mm	375mm	135mm



C API5659
1 Shelf Locker Mobile Industrial Cabinet

Specification:	Width:	Depth:	Height:
Overall Size:	565mm	580mm	675mm
Internal Dimensions:	475mm	510mm	475mm





D APICCOMBO1
Industrial Mobile Storage System with Shelf
Supplied with six panels; three louvred, to accept storage bins, and three perforated, which can be used with Sealey TTS Series clips for tool storage. These can be mounted in any configuration, allowing the user to customise the design to suit their needs. It also includes a single shelf, which can be mounted at various heights. Four heavy-duty castors, of which two are fitted with toe locks, give smooth manoeuvrability around the workplace.


Overall Size (W x D x H):	960 x 640 x 1605mm
Perforated Panel Size (W x H):	925 x 1350mm
Louvred Panel Size (W x H):	925 x 1350mm

SEALEY

Premier INDUSTRIAL™

A-D SEE RIGHT
Industrial Freestanding Cabinets

10 YEAR GUARANTEE*





Each cabinet is fully lockable and supplied with two keys. Drawers have a safety locking mechanism to prevent inadvertent opening.



Each drawer fitted with fixed front to back dividers and supplied with a quantity of cross dividers. Each drawer is supported by heavy-duty drawer slides and can hold up to 100kg evenly spread.



E API2103
3-Level Industrial Workshop Trolley

Ideal for use in any garage or workshop environment. Two deep-walled shelves give tool and component security. Adjustable legs on trolley allow the user to set at their desired height. Worktop is installed by placing the top shelf base up, creating a sturdy work surface. Optionally, install the top shelf base down to allow extra storage. Features four swivel castors, two of which have toe locks.

Overall Size (W x D x H):	750 x 445 x 940mm
Shelf Size (W x D x H):	640 x 405 x 45mm
Worktop Size (W x D x H):	750 x 445 x 30mm
Capacity:	300kg(100kg/Level)



A API9005
5 Drawer Industrial Cabinet

Specification:	Width:	Depth:	Height:
Overall Size:	900mm	450mm	900mm
Small Drawer (x2):	765mm	325mm	70mm
Medium Drawer (x3):	765mm	325mm	170mm



B API9007
7 Drawer Industrial Cabinet

Specification:	Width:	Depth:	Height:
Overall Size:	900mm	450mm	900mm
Small Drawer (x6):	765mm	325mm	70mm
Medium Drawer (x1):	765mm	325mm	170mm



C API5658
8 Drawer Industrial Cabinet

Specification:	Width:	Depth:	Height:
Overall Size:	565mm	655mm	1000mm
Small Drawer (x2):	475mm	450mm	60mm
Medium Drawer (x4):	475mm	450mm	80mm
Large Drawer (x1):	475mm	450mm	130mm
X-Large Drawer (x1):	475mm	450mm	180mm



D API7238
8 Drawer Industrial Cabinet


For optional Wheel and Handle Kit (Model No. API725KIT), see page 1032.

Specification:	Width:	Depth:	Height:
Overall Size:	725mm	655mm	1000mm
Small Drawer (x2):	630mm	450mm	60mm
Medium Drawer (x4):	630mm	450mm	80mm
Large Drawer (x1):	630mm	450mm	130mm
X-Large Drawer (x1):	630mm	450mm	180mm

F SEE BELOW
Drawer Dividers

Horizontal drawer dividers to further personalise storage layout. Suitable for drawers in the following models in Premier Industrial Range: API5655A, API5655B, API5656, API7238, API5657A, API5657B, API5658.

Model No:	Width:	Height:
API-DIV06	155mm	45mm
API-DIV07	155mm	65mm
API-DIV08	155mm	115mm
API-DIV09	155mm	165mm
API-DIV10 NEW	155mm	265mm



A



HEAVY DUTY
Ball Bearing Drawer Slides
Adjustable Shelf

A API8810

2 Drawer & 1 Shelf Double Industrial Locker Cabinet

Industrial quality two drawer and double door, freestanding locker cabinet. Drawers run on heavy-duty drawer slides with load bearing of up to 100kg. Each drawer fitted with fixed dividers running front to back and supplied with cross dividers for personalised storage layout. Fitted with two high quality locks and supplied with four coded keys.

Specification:	Width:	Depth:	Height:
Overall Size:	900mm	450mm	1000mm
Medium Drawer (x2):	790mm	325mm	80mm
Internal Cabinet Overall Size:	840mm	420mm	645mm

B NEW



HEAVY DUTY
Adjustable Shelves

B APICCOMBOH2

2 Shelf Industrial Cabinet

Industrial quality, double door, freestanding cabinet with two shelves. Unit is easy to assemble with minimal tools required. Durable, scuff resistant, adjustable shelves, each holding up to 150kg. Reinforced steel doors with zinc plated locking bars providing 3-point locking mechanism. Supplied with two coded keys. Ideal for home, office, garage or workshop use.

Specification:	Width:	Depth:	Height:
Overall Size:	900mm	450mm	900mm
Shelf Size (x2):	840mm	380mm	30mm
Internal Cabinet Overall Size:	850mm	420mm	810mm
Cabinet Only (No Shelves):			APIC900H NEW
Shelf Only - Pack of 2:			APICS2 NEW
Shelf Only - Pack of 4:			APICS4 NEW

C



HEAVY DUTY
Ball Bearing Drawer Slides
Adjustable Shelf
75+ KG HEAVY ITEM

C API1103B

5 Drawer & 1 Shelf Industrial Cabinet

Industrial quality five drawer and single shelf, freestanding locker cabinet. All drawers run on heavy-duty drawer slides with load bearing of up to 100kg. Each drawer fitted with fixed dividers running front to back and supplied with cross dividers for personalized storage layout. Fitted with two high quality locks and supplied with four coded keys.

Specification:	Width:	Depth:	Height:
Overall Size:	1105mm	580mm	800mm
Medium Drawer (x3):	470mm	450mm	80mm
X-Large Drawer (x2):	470mm	450mm	180mm
Internal Cabinet Overall Size:	475mm	550mm	700mm

D



HEAVY DUTY
Ball Bearing Drawer Slides
75+ KG HEAVY ITEM

D API1103A

5 Drawer & 1 Shelf Industrial Mobile Workstation

Industrial quality five drawer and single shelf, mobile locker cabinet. Perforated rear panel ideal for hanging frequently used tools so they are to hand when needed. All drawers run on heavy-duty drawer slides with load bearing of up to 100kg. Each drawer fitted with fixed dividers running front to back and then supplied with cross dividers for personalised storage layout. Fitted with four Ø60mm wheels two locking castors and two fixed to allow unit to be taken to the work area. Fitted with two high quality locks and supplied with four coded keys.

Specification:	Width:	Depth:	Height:
Overall Size:	1170mm	580mm	1450mm
Medium Drawer (x3):	470mm	450mm	80mm
X-Large Drawer (x2):	470mm	450mm	180mm
Internal Cabinet Overall Size:	475mm	550mm	700mm

SEALEY

Premier INDUSTRIAL™

10 YEAR GUARANTEE*

10 Year guarantee on all Premier Industrial™ modular storage units.

A-D SEE BELOW

Industrial Cabinets

Four variants of industrial quality, double door, freestanding cabinets with a range of internal shelving and drawer options, to suit use. Cabinets easily assembled with minimal tools required. Durable, scuff resistant, adjustable shelving each with a weight limit of 150kg. Drawers run on heavy-duty ball-bearing slides, each with a weight limit of 75kg. Reinforced steel doors with zinc plated locking bars provide 3-point locking. Supplied with two coded keys. Ideal for home, office, garage or workshop use.

A APICCOMBOF4

1800mm 4 Shelf Industrial Cabinet

Specification:	Width:	Depth:	Height:
Overall Size:	900mm	450mm	1800mm
Shelf Size (x4):	840mm	380mm	30mm
Internal Cabinet Size:	850mm	420mm	1710mm



B APICCOMBO2

1800mm 2 Drawer 3 Shelf Industrial Cabinet

Specification:	Width:	Depth:	Height:
Overall Size:	900mm	450mm	1800mm
Medium Drawer (x1):	775mm	330mm	100mm
Large Drawer (x1):	775mm	330mm	200mm
Shelf Size (x3):	840mm	380mm	30mm
Internal Cabinet Size:	850mm	420mm	1710mm



C APICCOMBO5

1800mm 5 Drawer 3 Shelf Industrial Cabinet

Specification:	Width:	Depth:	Height:
Overall Size:	900mm	450mm	1800mm
Medium Drawer (x3):	775mm	330mm	100mm
Large Drawer (x2):	775mm	330mm	200mm
Shelf Size (x3):	840mm	380mm	30mm
Internal Cabinet Size:	850mm	420mm	1710mm




D APICCOMBO7

1800mm 7 Drawer 3 Shelf Industrial Cabinet

Specification:	Width:	Depth:	Height:
Overall Size:	900mm	450mm	1800mm
Medium Drawer (x7):	775mm	330mm	100mm
Shelf Size (x3):	840mm	380mm	30mm
Internal Cabinet Size:	850mm	420mm	1710mm





E APICB

API Industrial Cabinet Base Unit

Optional base for Model No's APICCOMBOF4, APICCOMBO2, APICCOMBO5 and APICCOMBO7. Features four height-adjustable rubber feet for levelling on uneven floors, giving added stability to the units.

Overall Size (W x D x H):	840 x 405 x 50mm

Configure Your Own Cabinet

Add additional components to your cabinet or build your own.

Cabinet Only:	APIC1800F NEW
Drawer 100mm Deep - Single:	APICD100 NEW
Drawer 200mm Deep - Single:	APICD200 NEW
Shelf Only - Pack of 2:	APICS2 NEW
Shelf Only - Pack of 4:	APICS4 NEW

75+ KG HEAVY ITEM

HEAVY DUTY Adjustable Shelves Ball Bearing Drawer Slides

A-C SEE BELOW
Shelves for Back Panels
Single shelves that can be positioned at various heights. Must be used in conjunction with Back Panel Assembly (items D to F).

Model No:	Width:	Compatibility:
A APII1	1440mm	APIBP1500
B APII2	1720mm	APIBP1800
C APII3	2040mm	APIBP2100

D-F SEE BELOW
Back Panel Assemblies
Mounts simply onto workbench top. Supplied with two louvred panels and two Perfo tool storage back panels that help to keep work area free and tidy. Storage bins and hooks supplied separately.


Model No:	Size (W x H):	Compatibility:
D APIBP1500	1455 x 825mm	APIBP1500
E APIBP1800	1735 x 825mm	APIBP1800
F APIBP2100	2055 x 825mm	APIBP2100


G-I SEE BELOW
Industrial Workbenches
Manufactured from heavy gauge steel, these benches are the top end of our range with a weight capacity of 1000kg (evenly distributed). Fitted with adjustable feet to ensure work surface is level, even if your floor is not. 40mm Thick laminate worktop is edged with double thick trim. Optional drawer units, vice support or back panels, easily attach converting the workbench into a workstation.

Model No:	Overall Size (W x D x H):
G API1500	1500 x 750 x 850mm
H API1800	1800 x 750 x 850mm
I API2100	2100 x 750 x 850mm

J-N SEE BELOW
Drawer Units for API Series Workbenches
Optional single, double or triple drawer units for our API Series of Industrial Workbenches. Supplied with fixing kit allowing unit to be securely mounted. Each drawer fitted with fixed dividers running front to back and supplied with cross dividers for personal storage layout. Supplied with high quality lock and two coded keys.

Model No:	Drawer Size (W x D x H):	Overall Size (W x D x H):
J API14	300 x 450 x 70mm (x1)	405 x 580 x 180mm
K API15	300 x 450 x 70mm (x2)	405 x 580 x 280mm
L API16	300 x 450 x 70mm (x2) 300 x 450 x 115mm (x1)	405 x 580 x 450mm
M API8	510 x 485 x 80mm (x1)	565 x 580 x 180mm
N API9	510 x 485 x 80mm (x2)	565 x 580 x 280mm







Optional drawer units, see below.





A-C SEE BELOW

Complete Industrial Workstation & Cabinet Combos

Manufactured from heavy gauge steel which is powder coated for rust and solvent protection. Cabinet drawers run on heavy-duty ball-bearing drawer slides with high load capacity. Workbench is fitted with adjustable feet and 40mm thick laminate worktop edged with double thick trim. These items are heavy. Extra assistance must be provided at the delivery point to help safe delivery.

	A	B	C
Model No:	**API1500COMB02**	**API1800COMB02**	**API2100COMB02**
Overall Size (W x D x H):			
Workbench:	1500 x 750 x 850mm	1800 x 750 x 850mm	2100 x 750 x 850mm
Cabinet:	565 x 580 x 700mm	565 x 580 x 700mm	565 x 580 x 700mm
Drawers:	565 x 580 x 280mm	565 x 580 x 280mm	565 x 580 x 280mm



E-F SEE BELOW

Pneumatic Workshop Stools with Adjustable Height Swivel Seat & Back Rest

4-Legged heavy-duty steel construction with a black powder coat finish for corrosion resistance. Strengthening ring for stability, which also acts as a foot rest. Ø410mm Swivel seats feature pneumatic height adjustment and rotate fully through 360°. Both stools are padded and are made from high density foam with a black faux leather cover for extra comfort and style. Both also feature a back rest for better support.

	E	F
Model No:	**SCR02B**	**SCR03B**
Capacity:	150kg	150kg
Minimum/Maximum Height:	510-650mm	570-710mm



D SCR13

Workshop Stool with Swivel Seat

4-Legged steel construction with a polished Chrome plate finish for resistance to corrosion. Strengthening rings for stability, lower one also acts as a foot rest. Ø350mm Swivel seat rotates fully through 360° and is padded for extra comfort.

Capacity:	136kg
Height:	750mm



G SCR17

Heavy-Duty Pneumatic Workshop Stool with Adjustable Height Swivel Seat

4-Legged heavy-duty steel construction with a polished Chrome plate finish for corrosion resistance. Heavy-duty Ø32mm strengthening ring for stability which also acts as a foot rest. Ø365mm Swivel seat features pneumatic height adjustment, rotates fully through 360° and is made from high-density foam with a black PU imitation leather cover for extra comfort and style.

Capacity:	150kg
Minimum/Maximum Height:	695-815mm